

REPLACEMENT SHEET




FIG. 1




FIG. 2

REPLACEMENT SHEET




FIG. 3




FIG. 4

A cross-sectional view of a mechanical assembly. A central rectangular component (1) is shown. To its left is a vertical rectangular block (3) with a smaller rectangular feature (1b) on its left side. To the right of the central component (1) is a horizontal rectangular block (24) with a smaller rectangular feature (1a) on its right side. The entire assembly is mounted on a base (1). The base (1) has a central rectangular cutout. The base (1) is shown in cross-section with diagonal hatching. The central component (1) is shown in cross-section with diagonal hatching. The vertical block (3) is shown in cross-section with diagonal hatching. The horizontal block (24) is shown in cross-section with diagonal hatching. The base (1) has four circular features (5) and four rectangular features (4). The central component (1) has two circular features (9) and two rectangular features (6). The horizontal block (24) has a circular feature (8) and a rectangular feature (7). The base (1) has a rectangular feature (2) and a circular feature (20). The horizontal block (24) has a rectangular feature (23).

REPLACEMENT SHEET




FIG. 7




FIG. 8

REPLACEMENT SHEET




FIG. 9




FIG. 10




FIG. 11

REPLACEMENT SHEET




FIG. 12




FIG. 13

REPLACEMENT SHEET




FIG. 14




FIG. 15

REPLACEMENT SHEET




FIG. 16




FIG. 17




FIG. 18

REPLACEMENT SHEET




FIG. 19




FIG. 20

REPLACEMENT SHEET




FIG. 21
PRIOR ART